

PILOT BOATS CREW BOATS





Scan code for
PDF® version

LOYD
SHIPYARD


INNOVATION
DESIGN
ENGINEERING
ANALYSIS
SAFETY



ISO 9001
ISO 14001
ISO 45001



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas opt.
SPEED (CRUISE/MAX)	20.0 / 25.0 knots
CAPACITY	6 Pilot / 2 Crew

DIMENSIONS

LENGTH OVERALL	27,00 m
BEAM OVERALL	6,60 m
DEPTH AT SIDES	2,80 m
DRAFT (DESIGN/MAX)	1,40 / 1,90 m
FUEL OIL CAPACITY	5,500 liters
F. WATER CAPACITY	1.000 liters
SEWAGE CAPACITY	1.250 liters

MACHINERY

MAIN ENGINE	Caterpillar C32
POWER	2x 2.000 hp @ 1800 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	1300 mm Dia. FP Propellers
AUX. ENGINE	2x 21 kW Single Phase
VENTILATION	24V 14.000 m ³ /h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 2707 ALUMINUM SERIES



HULL
A-Grade
Steel



WHEELHOUSE
5083
Aluminum



LENGHT
27
meter



PROPULSION
FPP
2 x 2.000 hp






SPEED
up to
18 knots



CAPACITY
6 Pilot
2 Crew

PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas
SPEED (CRUISE/MAX)	16.0 / 20.0 knots
CAPACITY	15 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	19,00 m
BEAM OVERALL	5,20 m
DEPTH AT SIDES	2,80 m
DRAFT (DESIGN/MAX)	1,40 / 1,70 m
FUEL OIL CAPACITY	3.500 liters
F. WATER CAPACITY	1000 liters
SEWAGE CAPACITY	250 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 1.000 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT


PLT 1905 BP SERIES




↔↔↔
BP
up to
10 ton



HULL
A-Grade
Steel


WHEELHOUSE
5083
Aluminum


LENGHT
19
meter




PROPULSION
FPP
2 x 1.000 hp


SPEED
up to
20 knots


CAPACITY
6 Pilot
2 Crew



PILOT BOAT



GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas
SPEED (CRUISE/MAX)	18.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	16,70 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3.800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 873 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



SVITZER AL BATEEL
Oman



PILOT BOAT

PLT 1700 V1 SERIES



CAMARC DESIGN



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

17
meter



PROPULSION

FPP
2 x 873 hp



SPEED

up to
25 knots






CAPACITY

6 Pilot
2 Crew

LOYD
SHIPYARD

PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas
SPEED (CRUISE/MAX)	18.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	16,70 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3.800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 873 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m ³ /h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1700 V2 SERIES



CAMARC DESIGN



HULL

A-Grade Steel



WHEELHOUSE

5083 Aluminum



LENGTH

17 meter



PROPULSION

FPP
2 x 873 hp



SPEED


up to
25 knots




CAPACITY

6 Pilot
2 Crew


PILOT BOAT



PROFIL



ANA GÖVERTE



ALT GÖVERTE

GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas
SPEED (CRUISE/MAX)	20.0 / 25.0 knots
CAPACITY	10 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,00 m
BEAM OVERALL	5,00 m
DEPTH AT SIDES	2,50 m
DRAFT	2,50 m
FUEL OIL CAPACITY	3.000 liters
F. WATER CAPACITY	800 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m ³ /h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1700 ALUMINUM SERIES



HULL

5083
Aluminum



WHEELHOUSE

5083
Aluminum



LENGHT

17
meter



PROPULSION

FPP
2 x 800 hp



SPEED

up to
25 knots




CAPACITY

10 Pilot
2 Crew


PILOT BOAT




PROFILE



TOP PLAN



MAIN DECK



LOWER DECK

GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	22.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,90 m
BEAM OVERALL	3,85 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Cummins QSL9
POWER	2x 450 hp @ 2100 rpm
GEARBOX	2x ZF 325-1A
PROPULSION	700 mm Dia. FP Propellers
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m ³ /h
AIR CONDITIONING	Low Maintenance Split Type



PILOT BOAT

PLT 1504 ALUMINUM SERIES



HULL
5083
Aluminum



WHEELHOUSE
5083
Aluminum



LENGTH
15
meter



PROPULSION
FPP
2 x 450 hp




SPEED
up to
22 knots




CAPACITY
6 Pilot
2 Crew


PILOT BOAT



PROFILE VIEW



MAIN DECK



LOWER DECK

GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	20.0 / 24.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	15,20 m
BEAM OVERALL	4,20 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Cummins QSL9
POWER	2x 450 hp @ 2100 rpm
GEARBOX	2x ZF 325-1A
PROPULSION	700 mm Dia. FP Propellers
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m ³ /h
AIR CONDITIONING	Low Maintenance Split Type



PILOT BOAT

PLT 1505 V2 ALUMINUM SERIES



HULL

5083
Aluminum



WHEELHOUSE

5083
Aluminum



LENGTH

15
meter



PROPULSION

FPP
2 x 450 hp



SPEED




up to
22 knots



CAPACITY

6 Pilot
2 Crew

**FAST PILOT BOAT
WATER-JET**



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	24.0 / 32.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,95 m
BEAM OVERALL	4,00 m
DEPTH AT SIDES	1,80 m
DRAFT (DESIGN/MAX)	0,50 m / 0,60 m
FUEL OIL CAPACITY	2.000 liters
F. WATER CAPACITY	400 liters
SEWAGE CAPACITY	200 liters







MACHINERY

MAIN ENGINE	2x FPT N67ENTM45
POWER	2x 420 hp @ 3200 rpm
GEARBOX	2x ZF 220 / Ratio : 1.128
PROPULSION	2x DOEN DJ110 WaterJet
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m³/h
AIR CONDITIONING	Low Maintenance Split Type




**FAST PILOT BOAT
WATER-JET**


**PLT 1504 WJ
ALUMINUM
SERIES**

 HULL 5083 Aluminum	 WHEELHOUSE 5083 Aluminum	 LENGHT 15 meter
 PROPULSION WaterJet 2 x 420 hp	 SPEED up to 32 knots	 CAPACITY 6 Pilot 2 Crew


PILOT BOAT




PROFILE VIEW



PLAN VIEW



FWD VIEW



AFT VIEW

GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	24.0 / 35.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,95 m
BEAM OVERALL	3,85 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Volvo Penta D4
POWER	2x 270 hp @ 3.500 rpm
DRIVE	Volvo Penta DPI
PROPULSION	Stern Drive
AUX. ENGINE	1x 7 kW Single Phase
VENTILATION	24 V 1500 m ³ /h
AIR CONDITIONING	Sea Water Cooled Compact Type



PILOT BOAT

PLT 1200 AL ALUMINUM SERIES



HULL

5083
Aluminum



WHEELHOUSE

5083
Aluminum



LENGTH

11,50
meter



PROPULSION

Stern Drive
2 x 270 hp



SPEED

up to
35 knots






CAPACITY

4 Pilot
1 Crew

*Waterjet / Outboard options available

LOYD
SHIPYARD

**PILOT BOAT
CREW BOAT**



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas
SPEED (CRUISE/MAX)	18,0 / 22,0 knots
CAPACITY	30 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,30 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3,800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 27 kW Single Phase
VENTILATION	24V 14.000 m ³ /h
AIR CONDITIONING	2x Chilled Water System









PILOT BOAT CREW BOAT




CRW 1700 - 30 PAX SERIES



CAMARC DESIGN

 HULL A-Grade Steel	 WHEELHOUSE 5083 Aluminum	 LENGTH 17,30 meter
 PROPULSION FPP 2 x 800 hp	 SPEED up to 22 knots	 CAPACITY 30 Pax 2 Crew

**PILOT BOAT
CREW BOAT**



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas
SPEED (CRUISE/MAX)	16.0 / 18.0 knots
CAPACITY	25 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,00 m
BEAM OVERALL	5,00 m
DEPTH AT SIDES	2,65 m
DRAFT (DESIGN/MAX)	1,90 m / 2,25 m
FUEL OIL CAPACITY	3,800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 27 kW Single Phase
VENTILATION	24V 14.000 m ³ /h
AIR CONDITIONING	2x Chilled Water System



**PILOT BOAT
CREW BOAT**

**ICE
CLASS**

**CRW 1700 - 25 PAX
SERIES**



• CAMARC DESIGN •

HULL
A-Grade Steel

WHEELHOUSE
5083 Aluminum




LENGHT
17 meter

PROPULSION
FPP
2 x 800 hp


SPEED
up to 18 knots

CAPACITY
25 Pax
2 Crew

**FAST CREW BOAT
DAUGHTER CRAFT**



FRONT



AFT

GENERAL FEATURES


BASIC FUNCTIONS	Crew Transfer, Patrol Duties
CLASSIFICATION	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	34.0 / 45.0 knots
CAPACITY	4 Pax / 2 Crew
BP (SUS. / MAX.)	4 / 6 Tons

DIMENSIONS

LENGTH OVERALL	11,50 m
BEAM OVERALL	3,30 m
DEPTH AT SIDES	1,70 m
DRAFT)	0,50 m
FUEL OIL CAPACITY	1.000 liters
F. WATER CAPACITY	100 liters
SEWAGE CAPACITY	100 liters

MACHINERY







MAIN ENGINE	Cummins QSB 6.7
POWER	2x 480 hp @ 3.000 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	Waterjet Namjet Tractor
AUX. ENGINE	1x 7 kW Single Phase
VENTILATION	24V 1500 m³/h
AIR CONDITIONING	Sea Water Cooled Compact Type



**FAST CREW BOAT
DAUGHTER CRAFT**

**CRW 1200 WATER-JET
ALUMINUM
SERIES**



 HULL 5083 Aluminum	 LENGTH 11,50 meter	 CAPACITY 4 Pax 2 Crew
 PROPULSION Waterjet 2 x 500 hp	 SPEED up to 45 knots	 BP up to 6 ton

LOYD

SHIPYARD

Aydınlı mahallesi, Esenlik sokak no:3, 34953
Tuzla / İstanbul - TÜRKİYE


Office Phone
+90 216 393 33 28

Marketing Phone
+90 532 598 32 32

www.loydshipyard.com

info@loydshipyard.com

**IN-STOCK
OPTIONS**
Available online



SCAN QR-CODE



• CAMARC DESIGN •
PILOT BOATS