

PILOT BOATS CREW BOATS




LOYD
SHIPYARD

INNOVATION
DESIGN
ENGINEERING
ANALYSIS
SAFETY



ISO 9001
ISO 14001
ISO 45001



Worldwide Delivery



PILOT BOAT

PLT 1905 BP SERIES



BP

**up to
10 ton**



HULL

**A-Grade
Steel**



WHEELHOUSE

**5083
Aluminum**



LENGHT

**19
meter**



PROPULSION

**FPP
2 x 1.000 hp**



SPEED

**up to
20 knots**



CAPACITY

**6 Pilot
2 Crew**




LOYD
SHIPYARD



SL TAMARI
Georgia



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	16.0 / 20.0 knots
CAPACITY	15 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	19,00 m
BEAM OVERALL	5,20 m
DEPTH AT SIDES	2,80 m
DRAFT (DESIGN/MAX)	1,40 / 1,70 m
FUEL OIL CAPACITY	3.500 liters
F. WATER CAPACITY	1000 liters
SEWAGE CAPACITY	250 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 1.000 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1700 V1 SERIES



CAMARC DESIGN



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

17
meter



PROPULSION

FPP
2 x 873 hp



SPEED

up to
25 knots



CAPACITY



6 Pilot
2 Crew



SVITZER AL BATEEL
Oman



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	18.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	16,70 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3.800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 873 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1700 V2 SERIES



CAMARC DESIGN



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

17
meter



PROPULSION

FPP
2 x 873 hp



SPEED

up to
25 knots






CAPACITY

6 Pilot
2 Crew



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	18.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	16,70 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3.800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 873 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1700 AL SERIES





HULL
5083
Aluminum



WHEELHOUSE
5083
Aluminum



LENGHT
17
meter



PROPULSION
FPP
2 x 800 hp




SPEED
up to
25 knots




CAPACITY
10 Pilot
2 Crew




PILOT BOAT



PROFIL



ANA GÜVERTE



ALT GÜVERTE

GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	20.0 / 25.0 knots
CAPACITY	10 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,00 m
BEAM OVERALL	5,00 m
DEPTH AT SIDES	2,50 m
DRAFT	2,50 m
FUEL OIL CAPACITY	3.000 liters
F. WATER CAPACITY	800 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1505 AL SERIES



HULL
5083
Aluminum



WHEELHOUSE
5083
Aluminum



LENGHT
15
meter



PROPULSION
FPP
2 x 450 hp







SPEED
up to
22 knots



CAPACITY
6 Pilot
2 Crew



PILOT BOAT



GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	22.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,90 m
BEAM OVERALL	3,85 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Cummins QSL9
POWER	2x 450 hp @ 2100 rpm
GEARBOX	2x ZF 325-1A
PROPULSION	700 mm Dia. FP Propellers
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m³/h
AIR CONDITIONING	Low Maintenance Split Type



PILOT BOAT

PLT 1505 V2 SERIES



HULL
5083
Aluminum



WHEELHOUSE
5083
Aluminum



LENGHT
15
meter




PROPULSION
FPP
2 x 450 hp




SPEED
up to
22 knots




CAPACITY
6 Pilot
2 Crew




PILOT BOAT



PROFILE VIEW



MAIN DECK



LOWER DECK

GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	20.0 / 24.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	15,20 m
BEAM OVERALL	4,20 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Cummins QSL9
POWER	2x 450 hp @ 2100 rpm
GEARBOX	2x ZF 325-1A
PROPULSION	700 mm Dia. FP Propellers
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m³/h
AIR CONDITIONING	Low Maintenance Split Type



FAST PILOT BOAT

PLT 1504 WJ SERIES





HULL
5083
Aluminum



WHEELHOUSE
5083
Aluminum



LENGHT
15
meter



PROPULSION
WaterJet
2 x 420 hp






SPEED
up to
32 knots



CAPACITY
6 Pilot
2 Crew



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	24.0 / 32.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,95 m
BEAM OVERALL	4,00 m
DEPTH AT SIDES	1,80 m
DRAFT (DESIGN/MAX)	0,50 m / 0,60 m
FUEL OIL CAPACITY	2.000 liters
F. WATER CAPACITY	400 liters
SEWAGE CAPACITY	200 liters

MACHINERY

MAIN ENGINE	2x FPT N67ENTM45
POWER	2x 420 hp @ 3200 rpm
GEARBOX	2x ZF 220 / Ratio : 1.128
PROPULSION	2x DOEN DJ110 WaterJet
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m³/h
AIR CONDITIONING	Low Maintenance Split Type

PILOT BOAT

PLT 1200 AL SERIES





HULL
5083
Aluminum



WHEELHOUSE
5083
Aluminum



LENGHT
11,50
meter



PROPULSION
Stern Drive
2 x 270 hp



SPEED
up to
35 knots




CAPACITY
4 Pilot
1 Crew


*Waterjet / Outboard options available




PILOT BOAT




PROFILE VIEW



PLAN VIEW



FWD VIEW



AFT VIEW

GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	24.0 / 35.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,95 m
BEAM OVERALL	3,85 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Volvo Penta D4
POWER	2x 270 hp @ 3.500 rpm
DRIVE	Volvo Penta DPI
PROPULSION	Stern Drive
AUX. ENGINE	1x 7 kW Single Phase
VENTILATION	24 V 1500 m³/h
AIR CONDITIONING	Sea Water Cooled Compact Type



PILOT BOAT

CREW BOAT

CRW 1700 - 30 PAX SERIES



CAMARC DESIGN



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

17,30
meter



PROPULSION

FPP
2 x 800 hp




SPEED

up to
22 knots






CAPACITY

30 Pax
2 Crew



CREW BOAT 1700 SERIES



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	18.0 / 22.0 knots
CAPACITY	30 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,30 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3,800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 27 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



ICE-CLASS

PILOT BOAT

CREW BOAT

CRW 1700 - 25 PAX SERIES



HULL

A-Grade Steel

WHEELHOUSE

5083 Aluminum

LENGHT

17 meter

PROPULSION

FPP
2 x 800 hp

SPEED




up to 18 knots

CAPACITY

10 Pax
2 Crew




CREW BOAT



GENERAL FEATURES	
BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	16.0 / 18.0 knots
CAPACITY	25 Pax / 2 Crew

DIMENSIONS	
LENGTH OVERALL	17,00 m
BEAM OVERALL	5,00 m
DEPTH AT SIDES	2,65 m
DRAFT (DESIGN/MAX)	1,90 m / 2,25 m
FUEL OIL CAPACITY	3,800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY	
MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 27 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



FAST CREW BOAT DAUGHTER CRAFT

CRW 1200 WJ SERIES





HULL
5083
Aluminum



LENGHT
11,50
meter



CAPACITY
4 Pax
2 Crew



PROPULSION
Waterjet
2 x 500 hp







SPEED
up to
45 knots



BP
up to
6 ton



FAST CREW BOAT



GENERAL FEATURES


BASIC FUNCTIONS	Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	34.0 / 45.0 knots
CAPACITY	4 Pax / 2 Crew
BP (SUS. / MAX.)	4 / 6 Tons

DIMENSIONS

LENGTH OVERALL	11,50 m
BEAM OVERALL	3,30 m
DEPTH AT SIDES	1,70 m
DRAFT)	0,50 m
FUEL OIL CAPACITY	1.000 liters
F. WATER CAPACITY	100 liters
SEWAGE CAPACITY	100 liters

MACHINERY

MAIN ENGINE	Cummins QSB 6.7
POWER	2x 480 hp @ 3.000 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	Waterjet Namjet Tractor
AUX. ENGINE	1x 7 kW Single Phase
VENTILATION	24V 1500 m³/h
AIR CONDITIONING	Sea Water Cooled Compact Type



HDPE

FAST CREW BOAT

CRW 1100 HDPE SERIES





HULL

HDPE



LENGHT

11,00 meter



CAPACITY

12 Pax
2 Crew



POWER

up to 400 hp



PROPULSION

Outboard




SPEED


up to 30 knots




FAST CREW BOAT



PROFILE VIEW



TOP VIEW



WHEELHOUSE

GENERAL FEATURES	
BASIC FUNCTIONS	Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	25.0 / 30.0 knots
CAPACITY	12 Pax / 2 Crew

DIMENSIONS	
LENGTH OVERALL	11,00 m
BEAM OVERALL	3,20 m
DEPTH AT SIDES	1,23 m
DRAFT)	0,60 m
FUEL OIL CAPACITY	500 liters
F. WATER CAPACITY	N/A
SEWAGE CAPACITY	N/A

MACHINERY	
MAIN ENGINE	2x Suzuki AP 200
POWER	400 hp
GEARBOX	
PROPULSION	Outboard
AUX. ENGINE	Optional
AIR CONDITIONING	Optional






Aydınlı mahallesi, Esenlik sokak no:3, 34953
Tuzla / İstanbul - TÜRKİYE

Office Phone
+90 216 393 33 28

Marketing Phone
+90 532 598 32 32

www.loydshipyard.com
info@loydshipyard.com

**IN-STOCK
OPTIONS**
Available online



SCAN QR-CODE

