

PILOT BOATS CREW BOATS




Scan code for
PDF® version

LOYD
SHIPYARD


INNOVATION
DESIGN
ENGINEERING
ANALYSIS
SAFETY



ISO 9001
ISO 14001
ISO 45001



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas opt.
SPEED (CRUISE/MAX)	20.0 / 25.0 knots
CAPACITY	6 Pilot / 2 Crew

DIMENSIONS

LENGTH OVERALL	27,00 m
BEAM OVERALL	6,60 m
DEPTH AT SIDES	2,80 m
DRAFT (DESIGN/MAX)	1,40 / 1,90 m
FUEL OIL CAPACITY	5,500 liters
F. WATER CAPACITY	1.000 liters
SEWAGE CAPACITY	1.250 liters

MACHINERY

MAIN ENGINE	Caterpillar C32
POWER	2x 2.000 hp @ 1800 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	1300 mm Dia. FP Propellers
AUX. ENGINE	2x 21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT




PLT 2707
ALUMINUM
SERIES



 HULL A-Grade Steel	 WHEELHOUSE 5083 Aluminum	 LENGHT 27 meter
 PROPULSION FPP 2 x 2.000 hp	 SPEED up to 18 knots	 CAPACITY 6 Pilot 2 Crew



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	16.0 / 20.0 knots
CAPACITY	15 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	19,00 m
BEAM OVERALL	5,20 m
DEPTH AT SIDES	2,80 m
DRAFT (DESIGN/MAX)	1,40 / 1,70 m
FUEL OIL CAPACITY	3.500 liters
F. WATER CAPACITY	1000 liters
SEWAGE CAPACITY	250 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 1.000 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



SL TAMARI
Georgia



PILOT BOAT

PLT 1905 BP
SERIES



BP

up to
10 ton



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

19
meter



PROPULSION

FPP
2 x 1.000 hp



SPEED

up to
20 knots





CAPACITY

6 Pilot
2 Crew



PILOT BOAT



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	18.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	16,70 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3.800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 873 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1700 V1
SERIES



CAMARC DESIGN



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

17
meter



PROPULSION

FPP
2 x 873 hp



SPEED




up to
25 knots



CAPACITY

6 Pilot
2 Crew

LOYD
SHIPYARD



GENERAL FEATURES		
BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties	
CLASSIFICATON	Bureau Veritas	
SPEED (CRUISE/MAX)	18.0 / 25.0 knots	
CAPACITY	6 Pilots / 2 Crew	

DIMENSIONS		
LENGTH OVERALL	16,70 m	
BEAM OVERALL	5,40 m	
DEPTH AT SIDES	2,40 m	
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m	
FUEL OIL CAPACITY	3.800 liters	
F. WATER CAPACITY	500 liters	
SEWAGE CAPACITY	300 liters	

MACHINERY		
MAIN ENGINE	Caterpillar C18	
POWER	2x 873 hp @ 2200 rpm	
GEARBOX	2x Twindisc / ZF	
PROPULSION	900 mm Dia. FP Propellers	
AUX. ENGINE	21 kW Single Phase	
VENTILATION	24V 14.000 m³/h	
AIR CONDITIONING	2x Chilled Water System	



PILOT BOAT


PLT 1700 V2 SERIES




CAMARC DESIGN

 HULL A-Grade Steel	 WHEELHOUSE 5083 Aluminum	 LENGHT 17 meter
 PROPULSION FPP 2 x 873 hp	 SPEED up to 25 knots	 CAPACITY 6 Pilot 2 Crew


PILOT BOAT



PROFIL



ANA GÜVERTE



ALT GÜVERTE

GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	20.0 / 25.0 knots
CAPACITY	10 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,00 m
BEAM OVERALL	5,00 m
DEPTH AT SIDES	2,50 m
DRAFT	2,50 m
FUEL OIL CAPACITY	3.000 liters
F. WATER CAPACITY	800 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	21 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT

PLT 1700
ALUMINUM
SERIES




HULL
5083
Aluminum


WHEELHOUSE
5083
Aluminum


LENGHT
17
meter



PROPULSION
FPP
2 x 800 hp


SPEED
up to
25 knots



CAPACITY
10 Pilot
2 Crew




PILOT BOAT




PROFILE



TOP PLAN



MAIN DECK



LOWER DECK

GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	22.0 / 25.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,90 m
BEAM OVERALL	3,85 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Cummins QSL9
POWER	2x 450 hp @ 2100 rpm
GEARBOX	2x ZF 325-1A
PROPULSION	700 mm Dia. FP Propellers
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m³/h
AIR CONDITIONING	Low Maintenance Split Type




PILOT BOAT


PLT 1504
ALUMINUM
SERIES

 HULL 5083 Aluminum	 WHEELHOUSE 5083 Aluminum	 LENGHT 15 meter
 PROPULSION FPP 2 x 450 hp	 SPEED up to 22 knots	 CAPACITY 6 Pilot 2 Crew


PILOT BOAT



PROFILE VIEW



MAIN DECK



LOWER DECK

GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	20.0 / 24.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	15,20 m
BEAM OVERALL	4,20 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Cummins QSL9
POWER	2x 450 hp @ 2100 rpm
GEARBOX	2x ZF 325-1A
PROPULSION	700 mm Dia. FP Propellers
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m³/h
AIR CONDITIONING	Low Maintenance Split Type



PILOT BOAT

PLT 1505 V2 ALUMINUM SERIES



HULL

5083
Aluminum



WHEELHOUSE

5083
Aluminum



LENGHT

15
meter



PROPULSION

FPP
2 x 450 hp



SPEED

up to
22 knots






CAPACITY

6 Pilot
2 Crew

LOYD
SHIPYARD

FAST PILOT BOAT WATER-JET



GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	24.0 / 32.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,95 m
BEAM OVERALL	4,00 m
DEPTH AT SIDES	1,80 m
DRAFT (DESIGN/MAX)	0,50 m / 0,60 m
FUEL OIL CAPACITY	2.000 liters
F. WATER CAPACITY	400 liters
SEWAGE CAPACITY	200 liters

MACHINERY

MAIN ENGINE	2x FPT N67ENTM45
POWER	2x 420 hp @ 3200 rpm
GEARBOX	2x ZF 220 / Ratio : 1.128
PROPULSION	2x DOEN DJ110 WaterJet
AUX. ENGINE	10 kW Single Phase
VENTILATION	24V 7.500 m³/h
AIR CONDITIONING	Low Maintenance Split Type



FAST PILOT BOAT WATER-JET

PLT 1504 WJ ALUMINUM SERIES



HULL

**5083
Aluminum**



WHEELHOUSE

**5083
Aluminum**



LENGHT

**15
meter**



PROPULSION

**WaterJet
2 x 420 hp**



SPEED

**up to
32 knots**




CAPACITY


**6 Pilot
2 Crew**

LOYD
SHIPYARD


PILOT BOAT




PROFILE VIEW



PLAN VIEW



FWD VIEW



AFT VIEW

GENERAL FEATURES

BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	24.0 / 35.0 knots
CAPACITY	6 Pilots / 2 Crew

DIMENSIONS

LENGTH OVERALL	14,95 m
BEAM OVERALL	3,85 m
DEPTH AT SIDES	1,90 m
DRAFT (DESIGN/MAX)	0,50 m / 0,70 m
FUEL OIL CAPACITY	2.600 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	400 liters

MACHINERY

MAIN ENGINE	Volvo Penta D4
POWER	2x 270 hp @ 3.500 rpm
DRIVE	Volvo Penta DPI
PROPULSION	Stern Drive
AUX. ENGINE	1x 7 kW Single Phase
VENTILATION	24 V 1500 m³/h
AIR CONDITIONING	Sea Water Cooled Compact Type



PILOT BOAT




PLT 1200 AL
ALUMINUM
SERIES

 HULL 5083 Aluminum	 WHEELHOUSE 5083 Aluminum	 LENGHT 11,50 meter
 PROPULSION Stern Drive 2 x 270 hp	 SPEED up to 35 knots	 CAPACITY 4 Pilot 1 Crew

*Waterjet / Outboard options available



PILOT BOAT
CREW BOAT



GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	18.0 / 22.0 knots
CAPACITY	30 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,30 m
BEAM OVERALL	5,40 m
DEPTH AT SIDES	2,40 m
DRAFT (DESIGN/MAX)	1,50 m / 1,70 m
FUEL OIL CAPACITY	3,800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 27 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT
CREW BOAT

CRW 1700 - 30 PAX
SERIES



CAMARC DESIGN



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

17,30
meter



PROPULSION

FPP
2 x 800 hp



SPEED




up to
22 knots



CAPACITY

30 Pax
2 Crew

PILOT BOAT
CREW BOAT



GENERAL FEATURES


BASIC FUNCTIONS	Pilot, Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas
SPEED (CRUISE/MAX)	16.0 / 18.0 knots
CAPACITY	25 Pax / 2 Crew

DIMENSIONS

LENGTH OVERALL	17,00 m
BEAM OVERALL	5,00 m
DEPTH AT SIDES	2,65 m
DRAFT (DESIGN/MAX)	1,90 m / 2,25 m
FUEL OIL CAPACITY	3,800 liters
F. WATER CAPACITY	500 liters
SEWAGE CAPACITY	300 liters

MACHINERY

MAIN ENGINE	Caterpillar C18
POWER	2x 803 hp @ 2200 rpm
GEARBOX	2x ZF
PROPULSION	900 mm Dia. FP Propellers
AUX. ENGINE	2x 27 kW Single Phase
VENTILATION	24V 14.000 m³/h
AIR CONDITIONING	2x Chilled Water System



PILOT BOAT
CREW BOAT

CRW 1700 - 25 PAX
SERIES

ICE
CLASS



CAMARC DESIGN



HULL

A-Grade
Steel



WHEELHOUSE

5083
Aluminum



LENGHT

17
meter



PROPULSION

FPP
2 x 800 hp



SPEED




up to
18 knots




CAPACITY

25 Pax
2 Crew

FAST CREW BOAT
DAUGHTER CRAFT



FRONT



AFT

GENERAL FEATURES

BASIC FUNCTIONS	Crew Transfer, Patrol Duties
CLASSIFICATON	Bureau Veritas (optional)
SPEED (CRUISE/MAX)	34.0 / 45.0 knots
CAPACITY	4 Pax / 2 Crew
BP (SUS. / MAX.)	4 / 6 Tons

DIMENSIONS

LENGTH OVERALL	11,50 m
BEAM OVERALL	3,30 m
DEPTH AT SIDES	1,70 m
DRAFT)	0,50 m
FUEL OIL CAPACITY	1.000 liters
F. WATER CAPACITY	100 liters
SEWAGE CAPACITY	100 liters

MACHINERY

MAIN ENGINE	Cummins QSB 6.7
POWER	2x 480 hp @ 3.000 rpm
GEARBOX	2x Twindisc / ZF
PROPULSION	Waterjet Namjet Tractor
AUX. ENGINE	1x 7 kW Single Phase
VENTILATION	24V 1500 m³/h
AIR CONDITIONING	Sea Water Cooled Compact Type



FAST CREW BOAT
DAUGHTER CRAFT

CRW 1200 WATER-JET
ALUMINUM
SERIES



HULL

5083
Aluminum



LENGHT

11,50
meter



CAPACITY

4 Pax
2 Crew



PROPULSION

Waterjet
2 x 500 hp



SPEED

up to
45 knots



BP

up to
6 ton



Aydınlı mahallesi, Esenlik sokak no:3, 34953
Tuzla / İstanbul - TÜRKİYE

Office Phone
+90 216 393 33 28


Marketing Phone
+90 532 598 32 32

www.loydshipyard.com

info@loydshipyard.com

**IN-STOCK
OPTIONS**

Available online



SCAN QR-CODE



• CAMARC DESIGN •
PILOT BOATS